SUBJECT INDEX

Accuracy

Furrow Flow Measurement Accuracy, Thomas J. Trout and Bruce E. Mackey, IR May 88 p244-255.

Inflow-Outflow Infiltration Measurement Accuracy, Thomas J. Trout and Bruce E. Mackey, IR May 88 p256-265.

Acre-foot

Alternative Metric Units for Acre-Foot and Acre-Inch, M. -L. Quinn, IR Aug. 87 p393-404.

Africa

Extreme Rainfall for Africa and Other Developing Areas, George H. Hargreaves, IR May 88 p324-343.

Agricultural engineering

Allocation of Incremental Irrigation Benefits, Wu Hen gan and Xu Yongiu, IR Nov. 88 p664-673.

Agricultural watersheds

Hydrologic Impacts of Improved Irrigation Efficiencies, Steven K. Sando, John Borrelli and Donald J. Brosz, IR May 88 p334-342.

Alfalfa

Rational Use of the FAO Blaney-Criddle Formula, Richard G. Allen and William O. Pruitt, IR May 86 p139-155.

Allocations

Allocation of Incremental Irrigation Benefits, Wu Hen gan and Xu Yongiu, IR Nov. 88 p664-673.

Analytical techniques

Analytical Solutions for Surface Irrigation. I: Constant Infiltration Rate, Abdulaziz Turbak and Hubert J. Morel-Seytoux, IR Feb. 88 p31-47.

Analytical Solutions for Surface Irrigation. II: Variable Infiltration Rate, Abdulaziz Turbak and Hubert J. Morel-Seytoux, IR Feb. 88 p48-60.

Trickle Lateral Hydraulics. I: Analytical Solution, A. W. Warrick and M. Yitayew, IR May 88 p281-288.

Trickle Lateral Hydraulics. II: Design and Examples, M. Yitayew and A. W. Warrick, IR May 88 p289-300.

Aquifers

Defining Phreatic Surface for Heterogeneous Aquifers, Adnan J. Alawi and Khayyun A. Rahi, IR Nov. 88 p713-716.

Examination of 2-D Groundwater Recharge Solution, D. M. Griffin, Jr. and R. O. Warrington, IR Nov. 88 p691-704.

Redevelopment of Clogged Recharge Wells, A. F. Bichara, IR May 88 p343-350.

Arizona

Rainfall Intensities for Southeastern Arizona, Herbert B. Osborn and Kenneth G. Renard, IR Feb. 88 p195-199.

Balancing

Hydrologic Balance Model Using Neutron Probe Data, Richard H. Cuenca, IR Nov. 88 p644-663.

Border irrigation

Derivation of Lewis-Kostiakov Intake Equation, Yu-Si Fok, IR May 86 p164-171.

Border Irrigation

Muskingum Model for Border Irrigation, Vijay Singh, Panagiotis D. Scarlatos and Sergio A. Raudales, IR May 88 p266-280.

Border irrigation

Performance Functions of Border Irrigation Systems, Omnia El-Hakim, W. Clyma and E. V. Richardson, IR Feb. 88 p118-129.

Reuse System Design for Border Irrigation, Muluneh Yitayew and D. D. Fangmeier, IR June 85 p160-174.

Broad-crested weirs

Characteristics of Square-Edged and Round-Nosed Broad-Crested Weirs, Amruthur S. Ramamurthy, Udoyara S. Tim and M. V. J. Rao, IR Feb. 88 p61-73.

Buried pipes

Performance of Buried Small Pipes, Ahmed Ghobarah, IR Aug. 88 p476-489.

Canals

Improving Canal Water Deliveries with Auxiliary Storage, A. Mishra and N. K. Tyagi, IR Aug. 88 p535-546.

Cast iron

Hydraulic Friction Factors for Pipe Flow, Fadi Z. Kamand, IR May 88 p311-323.

Center-pivot irrigation

Friction Correction Factor for Center-Pivot Irrigation Systems, J. Mohan Reddy and Horacio Apolayo, IR Feb. 88 p183-185.

Using Center Pivots for Research, Otto J. Helweg, IR May 88 p358-363.

Channels

Triangular Side Weirs, Chandra Prakash Kumar and Santosh Kumar Pathak, IR Feb. 87 p98-105.

Classification

Terminology for Describing On-Farm Irrigation Water Demands, David H. Manz, IR May 88 p353-358.

Climatic data

Estimation of Standard Deviation of Potential Evapotranspiration, George H. Hargreaves and Zohrab A. Samani, IR Feb. 88 p175-180.

Clogging

Redevelopment of Clogged Recharge Wells, A. F. Bichara, IR May 88 p343-350.

Computerized simulation

Effect of Trajectory Angle on Performance of Sprinklers in Wind, R. D. von Bernuth, IR Nov. 88 p579-587.

Furrow Irrigation Simulation Time Reduction, M. Rayej and Wesley W. Wallender, IR June 85 p134-146.

Crop moisture index

Hydrologic Balance Model Using Neutron Probe Data, Richard H. Cuenca, IR Nov. 88 p644-663.

Crop production

Using Center Pivots for Research, Otto J. Helweg, IR May 88 p358-363.

Crop yield

Drip Irrigation and Subirrigation of Sugarcane, Sun F. Shih, IR Feb. 88 p143-155.

Crops

Flow of Water Through Root-Soil Environment, Miguel A. Mariño and John C. Tracy, IR Nov. 88 p588-604.

Deformation

Performance of Buried Small Pipes, Ahmed Ghobarah, IR Aug. 88 p476-489.

Discharge

Trickle Lateral Hydraulics. I: Analytical Solution, A. W. Warrick and M. Yitayew, IR May 88 p281-288.

Discharge coefficients

Characteristics of Square-Edged and Round-Nosed Broad-Crested Weirs, Amruthur S. Ramamurthy, Udoyara S. Tim and M. V. J. Rao, IR Feb. 88 p61-73.

Triangular Side Weirs, Chandra Prakash Kumar and Santosh Kumar Pathak, IR Feb. 87 p98-105.

Discharge measurement

Mobile Flume for Circular Channel, Willi H. Hager, IR Aug. 88 p520-534.

Venturi Flume of Minimum Space Requirements, Willi H. Hager, IR May 88 p226-243.

Drainage systems

Mobile Flume for Circular Channel, Willi H. Hager, IR Aug. 88 p520-534.

Emittance

Using Center Pivots for Research, Otto J. Helweg, IR May 88 p358-363.

Estimation

Annual Flow Statistics for Ungaged Streams in Idaho, Dennis R. Horn, IR Aug. 88 p463-475.

Evapotranspiration

Drip Irrigation and Subirrigation of Sugarcane, Sun F. Shih, IR Feb. 88 p143-155.

Estimation of Standard Deviation of Potential Evapotranspiration, George H. Hargreaves and Zohrab A. Samani, IR Feb. 88 p175-180.

Hydrologic Balance Model Using Neutron Probe Data, Richard H. Cuenca, IR Nov. 88 p644-663.

Rational Use of the FAO Blaney-Criddle Formula, Richard G. Allen and William O. Pruitt, IR May 86 p139-155.

Examination

Examination of 2-D Groundwater Recharge Solution, D. M. Griffin, Jr. and R. O. Warrington, IR Nov. 88 p691-704.

Farm management

On-Farm Application System Design and Project-Scale Water Management, Subramania Iyer Sritharan, Wayne Clyma and Everett V. Richardson, IR Nov. 88 p622-643.

Field tests

Performance of Stationary Gun Irrigation Systems, Bryan W. Karney and Terence H. Podmore, IR Mar. 84 p75-87.

Flood frequency

Flood Skew in Hydrologic Design on Ungaged Watersheds, Richard H. McCuen and Theodore V. Hromadka, II, IR May 88 p301-310.

Flood hydrology

Flood Skew in Hydrologic Design on Ungaged Watersheds, Richard H. McCuen and Theodore V. Hromadka, II, IR May 88 p301-310.

Flood peaks

Flood Skew in Hydrologic Design on Ungaged Watersheds, Richard H. McCuen and Theodore V. Hromadka, II, IR May 88 p301-310.

Flood routing

Furrow Advance Using Simple Routing Models, Bruce N. Wilson and Ronald L. Elliott, IR Feb. 88 p104-117.

Flow characteristics

Submerged Flow Characteristics of Throatless Flume, Amruthur S. Ramamurthy, Ngoc Diep Vo and R. Balachandar, IR Feb. 88 p186-194.

Flow distribution

Assessing Impacts of Irrigation on Streamflow, Roger B. Wallace and James T. Pawloski, IR May 88 p211-225.

Trickle Lateral Hydraulics. I: Analytical Solution, A. W. Warrick and M. Yitayew, IR May 88 p281-288.

Flow duration curves

Trickle Lateral Hydraulics. II: Design and Examples, M. Yitayew and A. W. Warrick, IR May 88 p289-300.

Flow measurement

Characteristics of Square-Edged and Round-Nosed Broad-Crested Weirs, Amruthur S. Ramamurthy, Udoyara S. Tim and M. V. J. Rao, IR Feb. 88 p61-73.

Furrow Flow Measurement Accuracy, Thomas J. Trout and Bruce E. Mackey, IR May 88 p244-255.

Inflow-Outflow Infiltration Measurement Accuracy, Thomas J. Trout and Bruce E. Mackey, IR May 88 p256-265.

Flow nets

Water Flow in Layered Soils with Sloping Surface, H. M. Selim, IR Aug. 88 p442-462.

Flow rates

Annual Flow Statistics for Ungaged Streams in Idaho, Dennis R. Horn, IR Aug. 88 p463-475.

Furrow Advance Using Simple Routing Models, Bruce N. Wilson and Ronald L. Elliott, IR Feb. 88 p104-117.

Flow resistance

Redevelopment of Clogged Recharge Wells, A. F. Bichara, IR May 88 p343-350.

Flow simulation

Flow Simulation Using Channel Network Model, Tahir Husain, Walid A. Abderrahman, Hasin U. Khan, Suhail M. Khan, Asfahan U. Khan and Badie S. Eqnaibi, IR Aug. 88 p424-441.

Flumes

Mobile Flume for Circular Channel, Willi H. Hager, IR Aug. 88 p520-534.

Submerged Flow Characteristics of Throatless Flume, Amruthur S. Ramamurthy, Ngoc Diep Vo and R. Balachandar, IR Feb. 88 p186-194.

Venturi Flume of Minimum Space Requirements, Willi H. Hager, IR May 88 p226-243.

Forecasting

Stochastic Forecast of Water Losses, Tiao J. Chang, IR Aug. 88 p547-558.

Free flow

Triangular Side Weirs, Chandra Prakash Kumar and Santosh Kumar Pathak, IR Feb. 87 p98-105.

Frequency analysis

Rainfall Intensities for Southeastern Arizona, Herbert B. Osborn and Kenneth G. Renard, IR Feb. 88 p195-199.

Friction

Friction Correction Factor for Center-Pivot Irrigation Systems, J. Mohan Reddy and Horacio Apolayo, IR Feb. 88 p183-185.

Friction factor

Hydraulic Friction Factors for Pipe Flow, Fadi Z. Kamand, IR May 88 p311-323.

Froude number

Triangular Side Weirs, Chandra Prakash Kumar and Santosh Kumar Pathak, IR Feb. 87 p98-105.

Furrow irrigation

Derivation of Lewis-Kostiakov Intake Equation, Yu-Si Fok, IR May 86 p164-171.

Furrow Advance Using Simple Routing Models, Bruce N. Wilson and Ronald L. Elliott, IR Feb. 88 p104-117.

Furrow Flow Measurement Accuracy, Thomas J. Trout and Bruce E. Mackey, IR May 88 p244-255.

Furrow Irrigation Simulation Time Reduction, M. Rayej and Wesley W. Wallender, IR June 85 p134-146.

Inflow-Outflow Infiltration Measurement Accuracy, Thomas J. Trout and Bruce E. Mackey, IR May 88 p256-265.

Muskingum Model for Furrow Irrigation, Vijay P. Singh and Yu-Cheng He, IR Feb. 88 p89-103.

Time Solution of Kinematic-Wave Model with Stochastic Infiltration, Mohammad Rayej and W. W. Wallender, IR Nov. 88 p605-621.

Green-Ampt model

Explicit Solution to Green-Ampt Equation for Nonuniform Soils, G. N. Flerchinger, F. J. Watts and G. L. Bloomsburg, IR Aug. 88 p561-565.

Green-Ampt—Model to Predict Surge Irrigation Phenomena, M. A. Killen and D. C. Slack, IR Nov. 87 p575-584.

Groundwater

Conjunctive Use in Sevier River System, Utah, Carl H. Carpenter, IR Feb. 87 p131-140.

Groundwater recharge

Examination of 2-D Groundwater Recharge Solution, D. M. Griffin, Jr. and R. O. Warrington, IR Nov. 88 p691-704.

Head loss

Adjusted F Factor for Multiple Outlet Pipes, Edmar José Scaloppi, IR Feb. 88 p169-174.

Homogeneity

Defining Phreatic Surface for Heterogeneous Aquifers, Adnan J. Alawi and Khayyun A. Rahi, IR Nov. 88 p713-716.

Hydraulic design

Trickle Lateral Hydraulics. I: Analytical Solution, A. W. Warrick and M. Yitayew, IR May 88 p281-288.

Trickle Lateral Hydraulics. II: Design and Examples, M. Yitayew and A. W. Warrick, IR May 88 p289-300.

Hydraulic gradients

Subsurface Drainage Peak Flows in Shallow Soil, B. Lesaffre and D. Zimmer, IR Aug. 88 p387-406.

Hydraulic networks

Hydraulic Friction Factors for Pipe Flow, Fadi Z. Kamand, IR May 88 p311-323.

Hydraulic structures

Extreme Rainfall for Africa and Other Developing Areas, George H. Hargreaves, IR May 88 p324-343.

Hydrologic aspects

Hydrologic Impacts of Improved Irrigation Efficiencies, Steven K. Sando, John Borrelli and Donald J. Brosz, IR May 88 p334-342.

Hydrologic models

Hydrologic Balance Model Using Neutron Probe Data, Richard H. Cuenca, IR Nov. 88 p644-663.

Hydrologic properties

Evaluating Peat-Mining Hydrology Using DRAINMOD, Kenneth D. Konyha, Kevin D. Robbins and R. W. Skaggs, IR Aug. 88 p490-504.

Infiltration

Derivation of Lewis-Kostiakov Intake Equation, Yu-Si Fok, IR May 86 p164-171.

Explicit Solution to Green-Ampt Equation for Nonuniform Soils, G. N. Flerchinger, F. J. Watts and G. L. Bloomsburg, IR Aug. 88 p561-565.

Green-Ampt—Model to Predict Surge Irrigation Phenomena, M. A. Killen and D. C. Slack, IR Nov. 87 p575-584.

Infiltration from Irrigation Advance Data I: Theory, E. T. Smerdon, A. W. Blair and D. L. Reddell, IR Feb. 88 p4-17.

Infiltration from Irrigation Advance Data II: Experimental, A. W. Blair and E. T. Smerdon, IR Feb. 88 p18-30.

Method for Analyzing Field Scale Surface Irrigation Uniformity, Albert J. Clemmens, IR Feb. 88 p74-88.

Time of Concentration of Overland Flow, A. Osman Akan, IR Nov. 86 p283-292.

Time Solution of Kinematic-Wave Model with Stochastic Infiltration, Mohammad Rayej and W. W. Wallender, IR Nov. 88 p605-621.

Infiltration rate

Analytical Solutions for Surface Irrigation. I: Constant Infiltration Rate, Abdulaziz Turbak and Hubert J. Morel-Seytoux, IR Feb. 88 p31-47.

Comparison of Infiltration Measuring Methods for Surface Irrigation, Eduardo, A. Holzapfel, Miguel A. Mariño, Alejandro Valenzuela and Francisco Diaz, IR Feb. 88 p130-142.

Furrow Irrigation Simulation Time Reduction, M. Rayej and Wesley W. Wallender, IR June 85 p134-146.

Inflow-Outflow Infiltration Measurement Accuracy, Thomas J. Trout and Bruce E. Mackey, IR May 88 p256-265.

Information systems

Satellite Data and Geographic Information System for Land Use Classification, Sun F. Shih, IR Aug. 88 p505-519.

Irrigation

Hydrologic Balance Model Using Neutron Probe Data, Richard H. Cuenca, IR Nov. 88 p644-663.

Terminology for Describing On-Farm Irrigation Water Demands, David H. Manz, IR May 88 p353-358.

Irrigation efficiency

Hydrologic Impacts of Improved Irrigation Efficiencies, Steven K. Sando, John Borrelli and Donald J. Brosz, IR May 88 p334-342.

Performance of Stationary Gun Irrigation Systems, Bryan W. Karney and Terence H. Podmore, IR Mar. 84 p75-87.

Unimodal Surface Irrigation Efficiency, A. W. Blair and E. T. Smerdon, IR Feb. 88 p156-168.

Water Management for Lowland Rice Irrigation, Fathima Z. Siddeek, Theo A. Dillaha and G. V. Loganathan, IR Aug. 88 p407-423.

Irrigation machines

Effect of Trajectory Angle on Performance of Sprinklers in Wind, R. D. von Bernuth, IR Nov. 88 p579-587.

Irrigation programs

Allocation of Incremental Irrigation Benefits, Wu Hen gan and Xu Yongiu, IR Nov. 88 p664-673.

Irrigation systems

Extreme Rainfall for Africa and Other Developing Areas, George H. Hargreaves, IR May 88 p324-343.

Flow Simulation Using Channel Network Model, Tahir Husain, Walid A. Abderrahman, Hasin U. Khan, Suhail M. Khan, Asfahan U. Khan and Badie S. Eqnaibi, IR Aug. 88 p424-441.

Performance of Stationary Gun Irrigation Systems, Bryan W. Karney and Terence H. Podmore, IR Mar. 84 p75-87.

Stochastic Forecast of Water Losses, Tiao J. Chang, IR Aug. 88 p547-558.

Irrigation water

Alternative Metric Units for Acre-Foot and Acre-Inch, M. -L. Quinn, IR Aug. 87 p393-404.

Assessing Impacts of Irrigation on Streamflow, Roger B. Wallace and James T. Pawloski, IR May 88 p211-225.

Conjunctive Use in Sevier River System, Utah, Carl H. Carpenter, IR Feb. 87 p131-140.

Improving Canal Water Deliveries with Auxiliary Storage, A. Mishra and N. K. Tyagi, IR Aug. 88 p535-546.

Performance of Stationary Gun Irrigation Systems, Bryan W. Karney and Terence H. Podmore, IR Mar. 84 p75-87.

Reuse System Design for Border Irrigation, Muluneh Yitayew and D. D. Fangmeier, IR June 85 p160-174.

Kinematic wave theory

Time of Concentration of Overland Flow, A. Osman Akan, IR Nov. 86 p283-292.

Time Solution of Kinematic-Wave Model with Stochastic Infiltration, Mohammad Rayej and W. W. Wallender, IR Nov. 88 p605-621.

Land usage planning

Satellite Data and Geographic Information System for Land Use Classification, Sun F. Shih, IR Aug. 88 p505-519.

Landsat

Satellite Data and Geographic Information System for Land Use Classification, Sun F. Shih, IR Aug. 88 p505-519.

Laterals

Trickle Lateral Hydraulics. I: Analytical Solution, A. W. Warrick and M. Yitayew, IR May 88 p281-288.

Trickle Lateral Hydraulics. II: Design and Examples, M. Yitayew and A. W. Warrick, IR May 88 p289-300.

Layered soils

Water Flow in Layered Soils with Sloping Surface, H. M. Selim, IR Aug. 88 p442-462.

Legal factors

Future Legal Regulation of Weather Modification, Ray Jay Davis, IR Nov. 88 p705-710.

Linear analysis

Simple Method of Obtaining Su-Brooks Retention Parameters, Robert J. Lenhard and Richard H. Cuenca, IR May 88 p363-367.

Manifolds

Trickle Lateral Hydraulics. I: Analytical Solution, A. W. Warrick and M. Yitayew, IR May 88 p281-288.

Mathematical models

Flow of Water Through Root-Soil Environment, Miguel A. Mariño and John C. Tracy, IR Nov. 88 p588-604.

Muskingum Model for Border Irrigation, Vijay Singh, Panagiotis D. Scarlatos and Sergio A. Raudales, IR May 88 p266-280.

Muskingum Model for Furrow Irrigation, Vijay P. Singh and Yu-Cheng He, IR Feb. 88 p89-103.

Time of Concentration of Overland Flow, A. Osman Akan, IR Nov. 86 p283-292.

Measurement

Alternative Metric Units for Acre-Foot and Acre-Inch, M. -L. Quinn, IR Aug. 87 p393-404.

Measuring instruments

Furrow Flow Measurement Accuracy, Thomas J. Trout and Bruce E. Mackey, IR May 88 p244-255.

Metric systems

Alternative Metric Units for Acre-Foot and Acre-Inch, M. -L. Quinn, IR Aug. 87 p393-404.

Minlag

Evaluating Peat-Mining Hydrology Using DRAINMOD, Kenneth D. Konyha, Kevin D. Robbins and R. W. Skaggs, IR Aug. 88 p490-504.

Neutrons

Hydrologic Balance Model Using Neutron Probe Data, Richard H. Cuenca, IR Nov. 88 p644-663.

Nomographs

Hydraulic Friction Factors for Pipe Flow, Fadi Z. Kamand, IR May 88 p311-323.

Nonpoint pollution

Weather Input for Nonpoint-Source Pollution Models, Nigel B. Pickering, Jery R. Stedinger and Douglas A. Haith, IR Nov. 88 p674-690.

Numerical analysis

Hydraulic Friction Factors for Pipe Flow, Fadi Z. Kamand, IR May 88 p311-323.

Ohio River

Stochastic Forecast of Water Losses, Tiao J. Chang, IR Aug. 88 p547-558.

Optimal design

On-Farm Application System Design and Project-Scale Water Management, Subramania Iyer Sritharan, Wayne Clyma and Everett V. Richardson, IR Nov. 88 p622-643.

Optimization

Unimodal Surface Irrigation Efficiency, A. W. Blair and E. T. Smerdon, IR Feb. 88 p156-168.

Overland flow

Time of Concentration of Overland Flow, A. Osman Akan, IR Nov. 86 p283-292.

Parametric hydrology

Simple Method of Obtaining Su-Brooks Retention Parameters, Robert J. Lenhard and Richard H. Cuenca, IR May 88 p363-367.

Peak flow

Subsurface Drainage Peak Flows in Shallow Soil, B. Lesaffre and D. Zimmer, IR Aug. 88 p387-406.

Peat

Evaluating Peat-Mining Hydrology Using DRAINMOD, Kenneth D. Konyha, Kevin D. Robbins and R. W. Skaggs, IR Aug. 88 p490-504.

Performance evaluation

Performance Functions of Border Irrigation Systems, Omnia El-Hakim, W. Clyma and E. V. Richardson, IR Feb. 88 p118-129.

Pipe flow

Adjusted F Factor for Multiple Outlet Pipes, Edmar José Scaloppi, IR Feb. 88 p169-174.

Friction Correction Factor for Center-Pivot Irrigation Systems, J. Mohan Reddy and Horacio Apolayo, IR Feb. 88 p183-185.

Hydraulic Friction Factors for Pipe Flow, Fadi Z. Kamand, IR May 88 p311-323.

Plastic pipes

Performance of Buried Small Pipes, Ahmed Ghobarah, IR Aug. 88 p476-489.

Pollution

Weather Input for Nonpoint-Source Pollution Models, Nigel B. Pickering, Jery R. Stedinger and Douglas A. Haith, IR Nov. 88 p674-690.

Polyvinyl chloride

Hydraulic Friction Factors for Pipe Flow, Fadi Z. Kamand, IR May 88 p311-323.

Porous media

Defining Phreatic Surface for Heterogeneous Aquifers, Adnan J. Alawi and Khayyun A. Rahi, IR Nov. 88 p713-716.

Potential flow

Water Flow in Layered Soils with Sloping Surface, H. M. Selim, IR Aug. 88 p442-462.

Precipitation

Hydrologic Balance Model Using Neutron Probe Data, Richard H. Cuenca, IR Nov. 88 p644-663.

Precipitation, atmospheric

Weather Input for Nonpoint-Source Pollution Models, Nigel B. Pickering, Jery R. Stedinger and Douglas A. Haith, IR Nov. 88 p674-690.

Probability

Extreme Rainfall for Africa and Other Developing Areas, George H. Hargreaves, IR May 88 p324-343.

Probes, instruments

Hydrologic Balance Model Using Neutron Probe Data, Richard H. Cuenca, IR Nov. 88 p644-663.

Project management

On-Farm Application System Design and Project-Scale Water Management, Subramania Iyer Sritharan, Wayne Clyma and Everett V. Richardson, IR Nov. 88 p622-643.

Rainfall duration

Extreme Rainfall for Africa and Other Developing Areas, George H. Hargreaves, IR May 88 p324-343.

Rainfall Intensities for Southeastern Arizona, Herbert B. Osborn and Kenneth G. Renard, IR Feb. 88 p195-199.

Rainfall frequency

Extreme Rainfall for Africa and Other Developing Areas, George H. Hargreaves, IR May 88 p324-343.

Rainfall intensity

Extreme Rainfall for Africa and Other Developing Areas, George H. Hargreaves, IR May 88 p324-343.

Rainfall Intensities for Southeastern Arizona, Herbert B. Osborn and Kenneth G. Renard, IR Feb. 88 p195-199.

Time of Concentration of Overland Flow, A. Osman Akan, IR Nov. 86 p283-292.

Rainfall-runoff relationships

Rainfall Intensities for Southeastern Arizona, Herbert B. Osborn and Kenneth G. Renard, IR Feb. 88 p195-199.

Recharge wells

Redevelopment of Clogged Recharge Wells, A. F. Bichara, IR May 88 p343-350.

Regulation

Future Legal Regulation of Weather Modification, Ray Jay Davis, IR Nov. 88 p705-710.

Remote sensing

Satellite Data and Geographic Information System for Land Use Classification, Sun F. Shih, IR Aug. 88 p505-519.

Research

Using Center Pivots for Research, Otto J. Helweg, IR May 88 p358-363.

Resource management

Satellite Data and Geographic Information System for Land Use Classification, Sun F. Shih, IR Aug. 88 p505-519.

Retention

Simple Method of Obtaining Su-Brooks Retention Parameters, Robert J. Lenhard and Richard H. Cuenca, IR May 88 p363-367.

Rice

Water Management for Lowland Rice Irrigation, Fathima Z. Siddeek, Theo A. Dillaha and G. V. Loganathan, IR Aug. 88 p407-423.

River systems

Conjunctive Use in Sevier River System, Utah, Carl H. Carpenter, IR Feb. 87 p131-140.

Runoff

Explicit Solution to Green-Ampt Equation for Nonuniform Soils, G. N. Flerchinger, F. J. Watts and G. L. Bloomsburg, IR Aug. 88 p561-565.

Reuse System Design for Border Irrigation, Muluneh Yitayew and D. D. Fangmeier, IR June 85 p160-174.

Seepage control

Examination of 2-D Groundwater Recharge Solution, D. M. Griffin, Jr. and R. O. Warrington, IR Nov. 88 p691-704.

Sewers

Mobile Flume for Circular Channel, Willi H. Hager, IR Aug. 88 p520-534.

Simulation

Estimation of Standard Deviation of Potential Evapotranspiration, George H. Hargreaves and Zohrab A. Samani, IR Feb. 88 p175-180.

Simulation models

Method for Analyzing Field Scale Surface Irrigation Uniformity, Albert J. Clemmens, IR Feb. 88 p74-88.

Performance Functions of Border Irrigation Systems, Omnia El-Hakim, W. Clyma and E. V. Richardson, IR Feb. 88 p118-129.

Skewness

Flood Skew in Hydrologic Design on Ungaged Watersheds, Richard H. McCuen and Theodore V. Hromadka, II, IR May 88 p301-310.

Soil permeability

Derivation of Lewis-Kostiakov Intake Equation, Yu-Si Fok, IR May 86 p164-171.

Soil pressure

Simple Method of Obtaining Su-Brooks Retention Parameters, Robert J. Lenhard and Richard H. Cuenca, IR May 88 p363-367.

Soil water

Derivation of Lewis-Kostiakov Intake Equation, Yu-Si Fok, IR May 86 p164-171.

Drip Irrigation and Subirrigation of Sugarcane, Sun F. Shih, IR Feb. 88 p143-155.

Hydrologic Balance Model Using Neutron Probe Data, Richard H. Cuenca, IR Nov. 88 p644-663.

Simple Method of Obtaining Su-Brooks Retention Parameters, Robert J. Lenhard and Richard H. Cuenca, IR May 88 p363-367.

Subsurface Drainage Peak Flows in Shallow Soil, B. Lesaffre and D. Zimmer, IR Aug. 88 p387-406.

Soil water movement

Flow of Water Through Root-Soil Environment, Miguel A. Mariño and John C. Tracy, IR Nov. 88 p588-604.

Water Flow in Layered Soils with Sloping Surface, H. M. Selim, IR Aug. 88 p442-462.

Soils, saturated

Flow of Water Through Root-Soil Environment, Miguel A. Mariño and John C. Tracy, IR Nov. 88 p588-604.

Simple Method of Obtaining Su-Brooks Retention Parameters, Robert J. Lenhard and Richard H. Cuenca, IR May 88 p363-367.

Water Flow in Layered Soils with Sloping Surface, H. M. Selim, IR Aug. 88 p442-462.

Solutions

Examination of 2-D Groundwater Recharge Solution, D. M. Griffin, Jr. and R. O. Warrington, IR Nov. 88 p691-704.

Spatial analysis

Time Solution of Kinematic-Wave Model with Stochastic Infiltration, Mohammad Rayej and W. W. Wallender, IR Nov. 88 p605-621.

Sprinklers

Effect of Trajectory Angle on Performance of Sprinklers in Wind, R. D. von Bernuth, IR Nov. 88 p579-587.

Performance of Stationary Gun Irrigation Systems, Bryan W. Karney and Terence H. Podmore, IR Mar. 84 p75-87.

Standard deviation

Estimation of Standard Deviation of Potential Evapotranspiration, George H. Hargreaves and Zohrab A. Samani, IR Feb. 88 p175-180.

Statistical analysis

Annual Flow Statistics for Ungaged Streams in Idaho, Dennis R. Horn, IR Aug. 88 p463-475.

Stiffness

Performance of Buried Small Pipes, Ahmed Ghobarah, IR Aug. 88 p476-489.

Stochastic models

Stochastic Forecast of Water Losses, Tiao J. Chang, IR Aug. 88 p547-558.

Time Solution of Kinematic-Wave Model with Stochastic Infiltration, Mohammad Rayej and W. W. Wallender, IR Nov. 88 p605-621.

Weather Input for Nonpoint-Source Pollution Models, Nigel B. Pickering, Jery R. Stedinger and Douglas A. Haith, IR Nov. 88 p674-690.

Streamflow

Assessing Impacts of Irrigation on Streamflow, Roger B. Wallace and James T. Pawloski, IR May 88 p211-225.

Water Flow in Layered Soils with Sloping Surface, H. M. Selim, IR Aug. 88 p442-462.

Streamflow records

Annual Flow Statistics for Ungaged Streams in Idaho, Dennis R. Horn, IR Aug. 88 p463-475.

Assessing Impacts of Irrigation on Streamflow, Roger B. Wallace and James T. Pawloski, IR May 88 p211-225.

Subcritical flow

Triangular Side Weirs, Chandra Prakash Kumar and Santosh Kumar Pathak, IR Feb. 87 p98-105.

Subirrigation

Drip Irrigation and Subirrigation of Sugarcane, Sun F. Shih, IR Feb. 88 p143-155.

Submerged flow

Submerged Flow Characteristics of Throatless Flume, Amruthur S. Ramamurthy, Ngoc Diep Vo and R. Balachandar, IR Feb. 88 p186-194.

Subsurface drainage

Subsurface Drainage Peak Flows in Shallow Soil, B. Lesaffre and D. Zimmer, IR Aug. 88 p387-406.

Surface irrigation

Comparison of Infiltration Measuring Methods for Surface Irrigation, Eduardo, A. Holzapfel, Miguel A. Mariño, Alejandro Valenzuela and Francisco Diaz, IR Feb. 88 p130-142.

Infiltration from Irrigation Advance Data I: Theory, E. T. Smerdon, A. W. Blair and D. L. Reddell, IR Feb. 88 p4-17.

Infiltration from Irrigation Advance Data II: Experimental, A. W. Blair and E. T. Smerdon, IR Feb. 88 p18-30.

Method for Analyzing Field Scale Surface Irrigation Uniformity, Albert J. Clemmens, IR Feb. 88 p74-88.

On-Farm Application System Design and Project-Scale Water Management, Subramania Iyer Sritharan, Wayne Clyma and Everett V. Richardson, IR Nov. 88 p622-643.

Unimodal Surface Irrigation Efficiency, A. W. Blair and E. T. Smerdon, IR Feb. 88 p156-168.

Surface waters

Conjunctive Use in Sevier River System, Utah, Carl H. Carpenter, IR Feb. 87 p131-140.

Surge irrigation

Green-Ampt—Model to Predict Surge Irrigation Phenomena, M. A. Killen and D. C. Slack, IR Nov. 87 p575-584.

Systems engineering

On-Farm Application System Design and Project-Scale Water Management, Subramania Iyer Sritharan, Wayne Clyma and Everett V. Richardson, IR Nov. 88 p622-643.

Temperature distribution

Weather Input for Nonpoint-Source Pollution Models, Nigel B. Pickering, Jery R. Stedinger and Douglas A. Haith, IR Nov. 88 p674-690.

Terminology

Alternative Metric Units for Acre-Foot and Acre-Inch, M. -L. Quinn, IR Aug. 87 p393-404.

Terminology for Describing On-Farm Irrigation Water Demands, David H. Manz, IR May 88 p353-358.

Time space scheduling

Time Solution of Kinematic-Wave Model with Stochastic Infiltration, Mohammad Rayej and W. W. Wallender, IR Nov. 88 p605-621.

Tort laws

Future Legal Regulation of Weather Modification, Ray Jay Davis, IR Nov. 88 p705-710.

Trickle irrigation

Drip Irrigation and Subirrigation of Sugarcane, Sun F. Shih, IR Feb. 88 p143-155.

Trickle Lateral Hydraulics. I: Analytical Solution, A. W. Warrick and M. Yitayew, IR May 88 p281-288.

Trickle Lateral Hydraulics. II: Design and Examples, M. Yitayew and A. W. Warrick, IR May 88 p289-300.

Two-dimensional flow

Examination of 2-D Groundwater Recharge Solution, D. M. Griffin, Jr. and R. O. Warrington, IR Nov. 88 p691-704.

Unsteady flow

Flow Simulation Using Channel Network Model, Tahir Husain, Walid A. Abderrahman, Hasin U. Khan, Suhail M. Khan, Asfahan U. Khan and Badie S. Eqnaibi, IR Aug. 88 p424-441.

Utah

Conjunctive Use in Sevier River System, Utah, Carl H. Carpenter, IR Feb. 87 p131-140.

Variability

Flow of Water Through Root-Soil Environment, Miguel A. Mariño and John C. Tracy, IR Nov. 88 p588-604.

Volcanic ash

Comparison of Infiltration Measuring Methods for Surface Irrigation, Eduardo, A. Holzapfel, Miguel A. Mariño, Alejandro Valenzuela and Francisco Diaz, IR Feb. 88 p130-142.

Water balance

Water Management for Lowland Rice Irrigation, Fathima Z. Siddeek, Theo A. Dillaha and G. V. Loganathan, IR Aug. 88 p407-423.

Water consumption

Rational Use of the FAO Blaney-Criddle Formula, Richard G. Allen and William O. Pruitt, IR May 86 p139-155.

Water demand

Assessing Impacts of Irrigation on Streamflow, Roger B. Wallace and James T. Pawloski, IR May 88 p211-225.

Improving Canal Water Deliveries with Auxiliary Storage, A. Mishra and N. K. Tyagi, IR Aug. 88 p535-546.

Terminology for Describing On-Farm Irrigation Water Demands, David H. Manz, IR May 88 p353-358.

Water distribution

Flow Simulation Using Channel Network Model, Tahir Husain, Walid A. Abderrahman, Hasin U. Khan, Suhail M. Khan, Asfahan U. Khan and Badie S. Eqnaibi, IR Aug. 88 p424-441.

Performance of Stationary Gun Irrigation Systems, Bryan W. Karney and Terence H. Podmore, IR Mar. 84 p75-87.

Terminology for Describing On-Farm Irrigation Water Demands, David H. Manz, IR May 88 p353-358.

Water flow

Flow of Water Through Root-Soil Environment, Miguel A. Mariño and John C. Tracy, IR Nov. 88 p588-604.

Venturi Flume of Minimum Space Requirements, Willi H. Hager, IR May 88 p226-243.

Water loss

Stochastic Forecast of Water Losses, Tiao J. Chang, IR Aug. 88 p547-558.

Water Management

On-Farm Application System Design and Project-Scale Water Management, Subramania Iyer Sritharan, Wayne Clyma and Everett V. Richardson, IR Nov. 88 p622-643.

Water management

Water Management for Lowland Rice Irrigation, Fathima Z. Siddeek, Theo A. Dillaha and G. V. Loganathan, IR Aug. 88 p407-423.

Water reuse

Reuse System Design for Border Irrigation, Muluneh Yitayew and D. D. Fangmeier, IR June 85 p160-174.

Water storage

Improving Canal Water Deliveries with Auxiliary Storage, A. Mishra and N. K. Tyagi, IR Aug. 88 p535-546.

Water supply

Conjunctive Use in Sevier River System, Utah, Carl H. Carpenter, IR Feb. 87 p131-140.

Improving Canal Water Deliveries with Auxiliary Storage, A. Mishra and N. K. Tyagi, IR Aug. 88 p535-546.

Water table

Defining Phreatic Surface for Heterogeneous Aquifers, Adnan J. Alawi and Khayyun A. Rahi, IR Nov. 88 p713-716.

Subsurface Drainage Peak Flows in Shallow Soil, B. Lesaffre and D. Zimmer, IR Aug. 88 p387-406.

Water use

Using Center Pivots for Research, Otto J. Helweg, IR May 88 p358-363.

Watersheds

Evaluating Peat-Mining Hydrology Using DRAINMOD, Kenneth D. Konyha, Kevin D. Robbins and R. W. Skaggs, IR Aug. 88 p490-504.

Flood Skew in Hydrologic Design on Ungaged Watersheds, Richard H. McCuen and Theodore V. Hromadka, II, IR May 88 p301-310.

Stochastic Forecast of Water Losses, Tiao J. Chang, IR Aug. 88 p547-558.

Weather

Estimation of Standard Deviation of Potential Evapotranspiration, George H. Hargreaves and Zohrab A. Samani, IR Feb. 88 p175-180.

Weather Input for Nonpoint-Source Pollution Models, Nigel B. Pickering, Jery R. Stedinger and Douglas A. Haith, IR Nov. 88 p674-690.

Weather data

Rational Use of the FAO Blaney-Criddle Formula, Richard G. Allen and William O. Pruitt, IR May 86 p139-155.

Weather modification

Future Legal Regulation of Weather Modification, Ray Jay Davis, IR Nov. 88 p705-710.

Weirs

Triangular Side Weirs, Chandra Prakash Kumar and Santosh Kumar Pathak, IR Feb. 87 p98-105.

Wind

Effect of Trajectory Angle on Performance of Sprinklers in Wind, R. D. von Bernuth, IR Nov. 88 p579-587.

AUTHOR INDEX

Abderrahman, Walid A.
see Husain, Tahir, IR Aug. 88, p424-441

Akan, A. Osman
Time of Concentration of Overland Flow, IR Nov. 86, p283-292
disc: Stanley S. Butler, IR Nov. 88, p719-720

Alawi, Adnan J.
Defining Phreatic Surface for Heterogeneous Aquifers, with Khayyun A. Rahi, IR Nov. 88, p713-716

Allen, Richard G.
Rational Use of the FAO Blaney-Criddle Formula, with William O. Pruitt, IR May 86, p139-155
disc: George H. Hargreaves, IR May 88, p373-375
clo: IR May 88, p375-380

Apolayo, Horacio
see Reddy, J. Mohan, IR Feb. 88, p183-185

Balachandar, R.
see Ramamurthy, Amruthur S., IR Feb. 88, p186-194

Bichara, A. F.
Redevelopment of Clogged Recharge Wells, IR May 88, p343-350

Blair, A. W.
Infiltration from Irrigation Advance Data II: Experimental, with E. T. Smerdon, IR Feb. 88, p18-30
Unimodal Surface Irrigation Efficiency, with E. T. Smerdon, IR Feb. 88, p156-168
see Smerdon, E. T., IR Feb. 88, p4-17

Bloomsburg, G. L.
see Flerchinger, G. N., IR Aug. 88, p561-565

Borrelli, John
see Sando, Steven K., IR May 88, p334-342

Brosz, Donald J.
see Sando, Steven K., IR May 88, p334-342

Butler, Stanley S.
disc. (of Time of Concentration of Overland Flow, by A. Osman Akan, IR Nov. 86, p283-292), IR Nov. 88, p719-720

Carpenter, Carl H.
Conjunctive Use in Sevier River System, Utah, IR Feb. 87, p131-140
disc: Dean F. Peterson, IR May 88, p382-383
clo: IR May 88, p383

Chang, Tiao J.
Stochastic Forecast of Water Losses, IR Aug. 88, p547-558

Clemmens, Albert J.
Method for Analyzing Field Scale Surface Irrigation Uniformity, IR Feb. 88, p74-88

Clyma, W.
see El-Hakim, Omnia, IR Feb. 88, p118-129

Clyma, Wayne
see Sritharan, Subramania Iyer, IR Nov. 88, p622-643

Cuenca, Richard H.
Hydrologic Balance Model Using Neutron Probe Data, IR Nov. 88, p644-663
see Lenhard, Robert J., IR May 88, p363-367

Davis, Ray Jay
Future Legal Regulation of Weather Modification, IR Nov. 88, p705-710

Diaz, Francisco
see Holzapfel, Eduardo, A., IR Feb. 88, p130-142

Dillaha, Theo A.
see Siddeek, Fathima Z., IR Aug. 88, p407-423

El-Hakim, Omnia
Performance Functions of Border Irrigation Systems, with W. Clyma and E. V. Richardson, IR Feb. 88, p118-129

Elliott, Ronald L.
see Wilson, Bruce N., IR Feb. 88, p104-117

Eqnaibi, Badie S.
see Husain, Tahir, IR Aug. 88, p424-441

Fangmeier, D. D.
see Yitayew, Muluneh, IR June 85, p160-174

Flerchinger, G. N.
Explicit Solution to Green-Ampt Equation for Nonuniform Soils, with F. J. Watts and G. L. Bloomsburg, IR Aug. 88, p561-565

Fok, Yu-Si
Derivation of Lewis-Kostiakov Intake Equation, IR May 86, p164-171
disc: P. Kerkides, IR May 88, p380-381
clo: IR May 88, p381-382

Ghobarah, Ahmed
Performance of Buried Small Pipes, IR Aug. 88, p476-489

Griffin, D. M., Jr.
Examination of 2-D Groundwater Recharge Solution, with R. O. Warrington, IR Nov. 88, p691-704

Hager, Willi H.
Mobile Flume for Circular Channel, IR Aug. 88, p520-534
Venturi Flume of Minimum Space Requirements, IR May 88, p226-243

Haith, Douglas A.
see Pickering, Nigel B., IR Nov. 88, p674-690

Hargreaves, George H.
Estimation of Standard Deviation of Potential Evapotranspiration, with Zohrab A. Samani, IR Feb. 88, p175-180
Extreme Rainfall for Africa and Other Developing Areas, IR May 88, p324-343
disc. (of Rational Use of the FAO Blaney-Criddle Formula, by Richard G. Allen and William O. Pruitt, IR May 86, p139-155), IR May 88, p373-375

He, Yu-Cheng
see Singh, Vijay P., IR Feb. 88, p89-103

Helweg, Otto J.
Using Center Pivots for Research, IR May 88, p358-363

Hen gan, Wu
Allocation of Incremental Irrigation Benefits, with Xu Yongju, IR Nov. 88, p664-673

Holzapfel, Eduardo, A.
Comparison of Infiltration Measuring Methods for Surface Irrigation, with Miguel A. Mariño, Alejandro Valenzuela and Francisco Diaz, IR Feb. 88, p130-142

Horn, Dennis R.
Annual Flow Statistics for Ungaged Streams in Idaho, IR Aug. 88, p463-475

Hotes, Frederick L.
disc. (of Performance of Stationary Gun Irrigation Systems, by Bryan W. Karney and Terence H. Podmore, IR Mar. 84, p75-87), IR Feb. 88, p203-204

Hromadka, Theodore V., II
see McCuen, Richard H., IR May 88, p301-310

Husain, Tahir
Flow Simulation Using Channel Network Model, with Walid A. Abderrahman, Hasin U. Khan, Suhail M. Khan, Asfahan U. Khan and Badie S. Eqnaibi, IR Aug. 88, p424-441

Kamand, Fadl Z.
Hydraulic Friction Factors for Pipe Flow, IR May 88, p311-323

Karney, Bryan W.
Performance of Stationary Gun Irrigation Systems, with Terence H. Podmore, IR Mar. 84, p75-87
disc: Frederick L. Hotes, IR Feb. 88, p203-204

Kerkides, P.
disc. (of Derivation of Lewis-Kostiakov Intake Equation, by Yu-Si Fok, IR May 86, p164-171), IR May 88, p380-381

Khan, Asfahan U.
see Husain, Tahir, IR Aug. 88, p424-441

Khan, Hasin U.
see Husain, Tahir, IR Aug. 88, p424-441

Khan, Suhail M.
see Husain, Tahir, IR Aug. 88, p424-441

Killen, M. A.
Green-Ampt—Model to Predict Surge Irrigation Phenomena, with D. C. Slack, IR Nov. 87, p575-584
err: IR Aug. 88, p571

Konyha, Kenneth D.
Evaluating Peat-Mining Hydrology Using DRAINMOD, with Kevin D. Robbins and R. W. Skaggs, IR Aug. 88, p490-504

Kumar, Chandra Prakash
Triangular Side Weirs, with Santosh Kumar Pathak, IR Feb. 87, p98-105
err: IR Nov. 87, p631
err: IR Feb. 88, p205

Lenhard, Robert J.
Simple Method of Obtaining Su-Brooks Retention Parameters, with Richard H. Cuenca, IR May 88, p363-367

Lesaffre, B.
Subsurface Drainage Peak Flows in Shallow Soil, with D. Zimmer, IR Aug. 88, p387-406

Loganathan, G. V.
see Siddeek, Fathima Z., IR Aug. 88, p407-423

McCuen, Richard H.
Flood Skew in Hydrologic Design on Ungaged Watersheds, with Theodore V. Hromadka, II, IR May 88, p301-310

Mackey, Bruce E.
see Trout, Thomas J., IR May 88, p244-255
see Trout, Thomas J., IR May 88, p256-265

Manz, David H.
Terminology for Describing On-Farm Irrigation Water Demands, IR May 88, p353-358

Mariño, Miguel A.
Flow of Water Through Root-Soil Environment, with John C. Tracy, IR Nov. 88, p588-604
see Holzapfel, Eduardo, A., IR Feb. 88, p130-142

Mishra, A.
Improving Canal Water Deliveries with Auxiliary Storage, with N. K. Tyagi, IR Aug. 88, p535-546

Morel-Seytoux, Hubert J.
see Turbak, Abdulaziz, IR Feb. 88, p31-47
see Turbak, Abdulaziz, IR Feb. 88, p48-60

Norum, D. I.
see Thooyamani, K. P., (disc), IR Nov. 87, p625-626

Osborn, Herbert B.
Rainfall Intensities for Southeastern Arizona, with Kenneth G. Renard, IR Feb. 88, p195-199

Pathak, Santosh Kumar
see Kumar, Chandra Prakash, IR Feb. 87, p98-105

Pawloski, James T.
see Wallace, Roger B., IR May 88, p211-225

Pessarakli, M.
disc. (of Reuse System Design for Border Irrigation, by Muluneh Yitayew and D. D. Fangmeier, IR June 85, p160-174), IR May 88, p371-372

Peterson, Dean F.
disc. (of Conjunctive Use in Sevier River System, Utah, by Carl H. Carpenter, IR Feb. 87, p131-140), IR May 88, p382-383

Pickering, Nigel B.
Weather Input for Nonpoint-Source Pollution Models, with Jery R. Stedinger and Douglas A. Haith, IR Nov. 88, p674-690

Podmore, Terence H.
see Karney, Bryan W., IR Mar. 84, p75-87

Pruitt, William O.
see Allen, Richard G., IR May 86, p139-155

Quinn, M. -L.
Alternative Metric Units for Acre-Foot and Acre-Inch, IR Aug. 87, p393-404
err: IR Feb. 88, p205

Rabi, Khayyun A.
see Alawi, Adnan J., IR Nov. 88, p713-716

Ramamurthy, Amruthur S.
Characteristics of Square-Edged and Round-Nosed Broad-Crested Weirs, with Udoyara S. Tim and M. V. J. Rao, IR Feb. 88, p61-73
Submerged Flow Characteristics of Throatless Flume, with Ngoc Diep Vo and R. Balachandar, IR Feb. 88, p186-194

Rao, M. V. J.
see Ramamurthy, Amruthur S., IR Feb. 88, p61-73

Raudales, Sergio A.
see Singh, Vijay, IR May 88, p266-280

Rayej, M.
Furrow Irrigation Simulation Time Reduction, with Wesley W. Wallender, IR June 85, p134-146
disc: K. P. Thooyamani and D. I. Norum, IR Nov. 87, p625-626
clo: IR Aug. 88, p569

Rayej, Mohammad
Time Solution of Kinematic-Wave Model with Stochastic Infiltration, with W. W. Wallender, IR Nov. 88, p605-621

Reddell, D. L.
see Smerdon, E. T., IR Feb. 88, p4-17

Reddy, J. Mohan
Friction Correction Factor for Center-Pivot Irrigation Systems, with Horacio Apolayo, IR Feb. 88, p183-185

Renard, Kenneth G.
see Osborn, Herbert B., IR Feb. 88, p195-199

Richardson, E. V.
see El-Hakim, Omnia, IR Feb. 88, p118-129

Richardson, Everett V.
see Sritharan, Subramania Iyer, IR Nov. 88, p622-643

Robbins, Kevin D.
see Konyha, Kenneth D., IR Aug. 88, p490-504

Samani, Zohrab A.
see Hargreaves, George H., IR Feb. 88, p175-180

Sando, Steven K.
Hydrologic Impacts of Improved Irrigation Efficiencies, with John Borrelli and Donald J. Brosz, IR May 88, p334-342

Scaloppi, Edmar José
Adjusted F Factor for Multiple Outlet Pipes, IR Feb. 88, p169-174

Scarlatos, Panagiotis D.
see Singh, Vijay, IR May 88, p266-280

Selim, H. M.
Water Flow in Layered Soils with Sloping Surface, IR Aug. 88, p442-462

Shih, Sun F.
Drip Irrigation and Subirrigation of Sugarcane, IR Feb. 88, p143-155
Satellite Data and Geographic Information System for Land Use Classification, IR Aug. 88, p505-519

Siddeek, Fathima Z.
Water Management for Lowland Rice Irrigation, with Theo A. Dillaha and G. V. Loganathan, IR Aug. 88, p407-423

Singh, Vijay
Muskingum Model for Border Irrigation, with Panagiotis D. Scarlatos and Sergio A. Raudales, IR May 88, p266-280

Singh, Vijay P.
Muskingum Model for Furrow Irrigation, with Yu-Cheng He, IR Feb. 88, p89-103

Skaggs, R. W.
see Konyha, Kenneth D., IR Aug. 88, p490-504

Slack, D. C.
see Killen, M. A., IR Nov. 87, p575-584

Smerdon, E. T.
Infiltration from Irrigation Advance Data I: Theory, with A. W. Blair and D. L. Reddell, IR Feb. 88, p4-17
see Blair, A. W., IR Feb. 88, p18-30
see Blair, A. W., IR Feb. 88, p156-168

Sritharan, Subramania Iyer
On-Farm Application System Design and Project-Scale Water Management, with Wayne Clyma and Everett V. Richardson, IR Nov. 88, p622-643

Stedinger, Jery R.
see Pickering, Nigel B., IR Nov. 88, p674-690

Thooyamani, K. P.
disc. (of Furrow Irrigation Simulation Time Reduction, by M. Rayej and Wesley W. Wallender, IR June 85, p134-146) with D. I. Norum, IR Nov. 87, p625-626

Tim, Udoyara S.
see Ramamurthy, Amruthur S., IR Feb. 88, p61-73

Tracy, John C.
see Mariño, Miguel A., IR Nov. 88, p588-604

Trout, Thomas J.
Furrow Flow Measurement Accuracy, with Bruce E. Mackey, IR May 88, p244-255
Inflow-Outflow Infiltration Measurement Accuracy, with Bruce E. Mackey, IR May 88, p256-265

Turbak, Abdulaziz
Analytical Solutions for Surface Irrigation. I: Constant Infiltration Rate, with Hubert J. Morel-Seytoux, IR Feb. 88, p31-47
Analytical Solutions for Surface Irrigation. II: Variable Infiltration Rate, with Hubert J. Morel-Seytoux, IR Feb. 88, p48-60

Tyagi, N. K.
see Mishra, A., IR Aug. 88, p535-546

Valenzuela, Alejandro
see Holzapfel, Eduardo, A., IR Feb. 88, p130-142

Vo, Ngoc Diep
see Ramamurthy, Amruthur S., IR Feb. 88, p186-194

von Bernuth, R. D.
Effect of Trajectory Angle on Performance of Sprinklers in Wind, IR Nov. 88, p579-587

Wallace, Roger B.
Assessing Impacts of Irrigation on Streamflow, with James T. Pawloski, IR May 88, p211-225

Wallender, W. W.
see Rayej, Mohammad, IR Nov. 88, p605-621

Wallender, Wesley W.
see Rayej, M., IR June 85, p134-146

Warrick, A. W.
Trickle Lateral Hydraulics. I: Analytical Solution, with M. Yitayew, IR May 88, p281-288
see Yitayew, M., IR May 88, p289-300

Warrington, R. O.
see Griffin, D. M., Jr., IR Nov. 88, p691-704

Watts, F. J.
see Flerchinger, G. N., IR Aug. 88, p561-565

Wilson, Bruce N.
Furrow Advance Using Simple Routing Models, with Ronald L. Elliott, IR Feb. 88, p104-117

Yitayew, M.
Trickle Lateral Hydraulics. II: Design and Examples, with A. W. Warrick, IR May 88, p289-300
see Warrick, A. W., IR May 88, p281-288

Yitayew, Muluneh
Reuse System Design for Border Irrigation, with D. D. Fangmeier, IR June 85, p160-174
disc: M. Pessarakli, IR May 88, p371-372
clo: IR May 88, p372-373

Yongiu, Xu
see Hen gan, Wu, IR Nov. 88, p664-673

Zimmer, D.
see Lesaffre, B., IR Aug. 88, p387-406